




Zero Waste

# OBJECT AND MOMENTUM

Object and Momentum B.V.  
Keerpunt 10, 1013 DK  
Amsterdam, the Netherlands  
tel +31 20 261 76 68  
email [info@objectandmomentum.com](mailto:info@objectandmomentum.com)  
web [www.analogue.nl](http://www.analogue.nl)


Product: LED Tubelight luminary  
Model / Type: Recast / 2020.1  
Power: 220-240V  
Production year: 2020

2014/35/EU - Low voltage directive  
2014/30/EU - Electromagnetic compatibility  
2011/65/EU - RoHS




## RoHS

50



∅ 10.5




5.5

Lampholder: s14d fitting  
Power cable: on request  
(standard hardwired)  
Screws / plugs: not included



Body: Polymer concrete  
Colours: Galaxy Black  
Pistachio Green  
Blossom Pink  
Stone Grey



Glass Finish	OPAL glass	CLEAR glass	CLEAR glass
LED tube	T28.5	T28.5	T28.5
Power consumption	7 W	6,2 W	8 W
Voltage	220-240 V	220-240 V	220-240 V
Luminous flux	470 lm	460 lm	430 lm
Length	500 mm	500 mm	500 mm
Diameter	30 mm	30 mm	30 mm
Color Temperature	2700K	2700K	1900K
Color Rendering Index	>80 Ra	>90 Ra	>90 Ra
Cap Base	S14d	S14d	S14d
Dimmable	YES	YES	YES
Rated Lifetime	25000 hours	20000 hours	20000 hours
Energy Efficiency Label	A	B	B

Dimming list compatibility

DIMMER BRAND	MODEL	SPECS
Jung	1730 DD	3 - 60 Watt
Schneider Electric Merten	MTN5134 - 0000	4 - 400 Watt
Gira	2262 00	3 - 100 Watt

\*Other dimmers can yield good results and we recommend conducting your own test before final installation

