


Zero Waste Lighting

# OBJECT AND MOMENTUM

Object and Momentum B.V.  
Keerpunt 10, 1013 DK  
Amsterdam, the Netherlands  
tel +31 20 261 76 68  
email [info@objectandmomentum.com](mailto:info@objectandmomentum.com)  
web [www.analogue.nl](http://www.analogue.nl)




Product: LED Tubelight luminary  
Model / Type: R16  
Power: 220 V  
Production year: 2020

2014/35/EU - Low voltage directive  
2014/30/EU - Electromagnetic compatibility  
2011/65/EU - RoHS



## RoHS




Zero Waste Lighting

Overall dimensions:

1200 x 32 mm  
power cord 2m  
cord length 5m  
max 2 meters (standard)

Suspended distance from ceiling:  
[other lengths on request]



	3000 K	4000 K
LED tube:	T8	T8
Power consumption:	12 W	14 W
Voltage:	220 V	222 V
Luminous flux:	1250 lm	1704 lm
Length:	900 mm	900 mm
Diameter:	26 mm	26 mm

Color Code:	830	840
Color Temperature:	3000K	4000K
Color Rendering Index:	83 Ra	84 Ra

Cap Base:	G13	G13
Dimmable:	YES	YES
Rated Lifetime:	40000 hours	40000 hours

Energy Efficiency Label (EEL):	A++	A++
--------------------------------	-----	-----

Material:	PC	PC
Beam Angle:	180°	180°

**Dimming list compatibility**

DIMMER BRAND	MODEL	SPECS
Jung	1730 DD	3 - 60 Watt
Schneider Electric Merten	MTN5134 - 0000	4 - 400 Watt
Gira	2262 00	3 - 100 Watt

\*Other dimmers can yield good results and we recommend conducting your own test before final installation



natural

Pendant:

Lamp ends:



Lamp stopper:

screw-in hooks M4

2x conical cork

32.5x28.5x27mm

pencil / 5 cent coin



all-black

Cardboard:

natural

matte black

Power cord:

black wire [custom colours on request]Pendant

cord:

black waxed cotton

Stopper:

cork



